

India Contact:

Life Technologies (India) Pvt. Ltd.  
Mobile: +91-9810521400, Ph: +91-11-42208000  
Email: [customerservice@lifetechindia.com](mailto:customerservice@lifetechindia.com)  
Web: [www.lifetechindia.com](http://www.lifetechindia.com)

## Human Neural Stem Cells (iPSC-derived)


<b>Catalog Number</b>	40HU-001; 40HU-007	<b>Cell Number</b>	2.0 million cells/vial
<b>Species</b>	<i>Homo sapiens</i>	<b>Storage Temperature</b>	Liquid nitrogen

### Product Description


Neural stem cells (NSCs) are self-renewing, multipotent cells that generate the main phenotype of the nervous system. They primarily differentiate into neurons, astrocytes, and oligodendrocytes [1]. The recent discovery of induced pluripotent stem cells (iPSCs) not only overcomes the ethical and logistical issues associated with human embryonic stem cells, but also provides a flexible platform for generating various differentiated cell types from diseased individuals. iPSC-derived NSCs are a potentially valuable source of *in vitro* models for complex, polygenic human diseases, and are potentially useful for drug discovery and cell-based therapy applications [2].

iXCells Biotechnologies provides high quality human neural stem cells (NSCs) derived from normal or diseased iPSC cell lines. These cells express typical markers of neural stem and progenitor cells, e.g. Nestin, Pax6 and Sox1 (Figure 1 and Figure 2), with the purity higher than 97% (Figure 3). The cells have been fully characterized for their self-renewal and multi-potency. The iPSC-derived NSCs can be differentiated into astrocytes or motor neurons (Figure 4). Cells can further expand for 3-5 passages in Human Neural Stem Cell Growth Medium (Cat# MD-0024), but they are not recommended for extensive expansion, because the purity of the neural stem cell population may decrease.


All the cells provided by iXCells are negative for mycoplasma, bacteria, yeast, and fungi. HIV-1, hepatitis B and hepatitis C. The basic donor information (gender / age / race) is provided for each cell lot purchased.




**Figure 1.** iPSC-derived NSCs express Nestin and Pax6.



**Figure 2.** iPSC-derived NSCs express Nestin and Sox1.



**Figure 3.** More than 97% of the NSCs are Nestin positive.



**Figure 4.** iPSC-derived NSCs can be differentiated into GFAP<sup>+</sup> astrocyte (A) or HB9<sup>+</sup> motor neurons (B).

## Product Details

<b>Tissue Origin</b>	Human Neural Stem Cells Derived from iPSCs (Normal, diseased)
<b>Package Size</b>	2.0 million cells/vial
<b>Shipped</b>	Cryopreserved
<b>Storage</b>	Liquid nitrogen
<b>Growth Properties</b>	Adherent
<b>Media</b>	Human Neural Stem Cell Growth Medium (Cat# MD-0024)

## Protocols

### Thawing of Frozen Cells

1. Upon receipt of the frozen Human iPSC-Derived Neural Stem Cells (hiPSC-NSCs), it is recommended to thaw the cells and initiate the culture immediately in order to retain the highest cell viability.
2. Prepare Cultrex, Matrigel coated plates 1-2 hours before thawing the cells.
3. To thaw the cells, put the vial in 37°C water bath with gentle agitation for ~2 minutes. Keep the cap out of water to minimize the risk of contamination.
4. Pipette the cells into a 15 mL conical tube with 5 mL fresh **Human Neural Stem Cell Growth Medium** (Cat# MD-0024).
5. Centrifuge at 200 g for 5 minutes at room temperature.
6. Remove the supernatant and re-suspend the cells in Human Neural Stem Cell Growth Medium supplemented with 10µM Y27632. Count the cell number.
7. Seed the cells on coated plates at a density of 10,000-50,000 cells per cm<sup>2</sup> based on the application. Put the culture in the 37°C CO<sub>2</sub> incubator.
8. The next day, change to media without Y27632. Change media every other day until the cells are 80-90% confluent. Passage the cells when they reach confluency.
9. The hiPSC-NSCs can be expanded for 3-5 passages and banked for future use. Please note that as the passage number increases, random differentiation may occur.

**Safety Precaution:** *it is highly recommended that protective gloves and clothing should be used when handling frozen vials.*

### Subculture of Neural Stem Cells

1. Passage the hiPSC-NSCs when the cells reach 80-90% confluency.
2. Prepare Cultrex coated plates the day before.
3. Remove the media from the cells. Wash the cells once with D-PBS.
4. Add Accutase to the cells and incubate the cells in 37°C CO<sub>2</sub> incubator for 3-5 minutes.
5. Add two volumes of Human Neural Stem Cell Growth Medium. Detach the cells by gently pipetting up and down several times. Collect the cells into a 15 mL conical tube.
6. Centrifuge at 200 g for 5 minutes at room temperature.
7. Remove the supernatant and re-suspend the cells in Human Neural Stem Cell Growth Medium with or without 10µM Y27632. Count the cell number.
10. Seed the cells on Cultrex-coated plates at the desired density. It is recommended to seed the cells at the density of 10,000-50,000 cells per cm<sup>2</sup> based on the application. Put the culture in the 37°C CO<sub>2</sub> incubator.
11. Change media every other day. Passage the cells when the culture reaches 80-90% confluency.

## References

- [1] Alenzi, F; Bahkali, A (2011). "Stem cells: Biology and clinical potential". *African Journal of Biotechnology* 10 (86): 19929–40.
- [2] Dolmetsch R, Geschwind DH. (2011) "The human brain in a dish: the promise of iPSC-derived neurons". *Cell*. 145(6):831-4.

## Disclaimers

This product is intended for laboratory research purposes only. It is not intended for use in humans. While iXCells Biotechnologies uses reasonable efforts to include accurate and up-to-date information on this product sheet, we make no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. iXCells Biotechnologies does not warrant that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, and use. iXCells Biotechnologies is not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to insure authenticity and reliability of strains on deposit, iXCells Biotechnologies is not liable for damages arising from the misidentification or misrepresentation of cultures.

© iXCells Biotechnologies 2015. All rights reserved.