

Overview

Synonyms	EDF,BCDFII,TRF
Description	Interleukin-5 (rIL-5) , produced by mast cells, T cells and eosinophils, is responsible for the activities attributed to eosinophil differentiating factor, B cell growth factor II and T cell-replacing factor (TRF). It can increase production and mobilization of eosinophils and CD34+ progenitors from the bone marrow. IL-5 plays an important role in inducing cell-mediated immunity against parasitic infections and certain tumors. IL-5 also promotes differentiation of basophils and primes them for histamine and leukotriene release. Recombinant mouse Interleukin-5 (rIL-5) produced in <i>E.coli</i> is a disulfide-linked homodimer containing two non-glycosylated polypeptide chains of 113 amino acids each. A fully biologically active molecule, rIL-5 has a molecular mass of 26.2kDa analyzed by non-reducing SDS-PAGE and is obtained by proprietary chromatographic techniques.
Species	Mouse
Source	<i>E. coli</i>
Biological Activity	ED ₅₀ < 2.0 ng/ml, measured by a cell proliferation assay using TF-1 Cells, corresponding to a specific activity of > 5.0× 10 ⁵ units/mg.
Sequence	MEIPMSTVVK ETLTQLSAHR ALLTSNETMR LPVPTHKNHQ LCIGEIFQGL DILKNQTVRG GTVEMLFQNL SLIKKYIDRQ KEKCGEERRR TRQFLDYLQE FLGVMSTEWA MEG

Properties

Measured Molecular Weight	26.2kDa, observed by non-reducing SDS-PAGE.
Purity	> 95% by SDS-PAGE and HPLC analyses.
Formulation	Lyophilized after extensive dialysis against PBS.
Reconstitution	Reconstituted in ddH ₂ O at 100 µg/ml.
Endotoxin Level	< 0.2 EU/µg, determined by LAL method.
Storage	Lyophilized recombinant mouse Interleukin-5 (rIL-5) remains stable up to 6 months at lower than -70°C from date of receipt. Upon reconstitution, rIL-5 should be stable up to 2 weeks at 4°C or up to 3 months at -20°C.
Note	For research use only

India Contact:

Life Technologies (India) Pvt. Ltd.

306, Aggarwal City Mall, Opposite M2K Pitampura,
Delhi – 110034 (INDIA).

Mobile: +91-9810521400, Ph: +91-11-42208000

Email: customerservice@lifetechindia.com

Web: www.lifetechindia.com