

Overview

Synonyms	Growth Factor-9, GAF (Glia-activating factor), HBGF-9
Description	Fibroblast Growth Factor-9 (FGF-9) , also known as Glia-activating factor (GAF) and HBGF-9, belongs to the heparin-binding growth factors family. It is a secreted protein that exists as monomer or homodimer. It interacts with FGFR-1, FGFR-2, FGFR-3, and FGFR-4 and plays an important role in regulating cell proliferation, differentiation and migration. It is reported that FGF-9 may be involved in glial cell growth and differentiation during development, gliosis during brain tissue regeneration, and glial tumor growth stimulation. Other reports indicate that FGF-9 plays a role in male development.
Accession No	P31371
Species	Mouse
Source	CHO
Biological Activity	ED ₅₀ < 2ng/ml, measured in a cell proliferation assay using 3T3 cells.
Sequence	LGEVGNVYFGV QDAVPFGNVP VLPVDSPVLL SDHLGQSEAG GLPRGPAVTD LDHLKGILRR RQLYCRTGFH LEIFPNGTIQ GTRKDHSRFG ILEFISIAVG LVSIRGVDSG LYLGMNEKGE LYGSEKLTQE CVFREQFEEN WYNTYSSNLY KHVDTGRRYY VALNKDGTPR EGTRTKRHQK FTHFLPRPVD PDKVPELYKD ILSQS

Properties

Measured Molecular Weight	~28 kDa, observed by reducing SDS-PAGE.
Purity	> 95% as analyzed by SDS-PAGE and HPLC.
Formulation	Lyophilized after extensive dialysis against PBS.
Reconstitution	Reconstituted in ddH ₂ O or PBS at 100 µg/ml.
Endotoxin Level	< 0.2 EU/µg, determined by LAL method.
Storage	Lyophilized recombinant Murine Fibroblast Growth Factor-9 remains stable up to 6 months at lower than -70°C from date of receipt. Upon reconstitution, Murine Fibroblast Growth Factor-9 should be stable up to 1 week at 4°C or up to 2 months at -20°C.
Note	For research use only

India Contact:

Life Technologies (India) Pvt. Ltd.

306, Aggarwal City Mall, Opposite M2K Pitampura,
Delhi – 110034 (INDIA).

Mobile: +91-9810521400, Ph: +91-11-42208000

Email: customerservice@lifetechindia.com

Web: www.lifetechindia.com